

## Clinical Policy: Opioid Analgesics

Reference Number: HIM.PA.139

Effective Date: 12.01.17

Last Review Date: 11.17

Line of Business: Health Insurance Marketplace

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

### Description

Opioid analgesics exert their analgesic effect through opiate receptors distributed in tissues throughout the body.

### FDA Approved Indication(s)

Opioid analgesics are indicated for the management and treatment of moderate to severe pain.

### Policy/Criteria

Provider must submit documentation (which may include office chart notes and lab results) supporting that member has met all approval criteria.

#### I. Initial Approval Criteria

##### A. Cancer or Palliative Care (must meet all):

1. Prescribed for pain associated with cancer or for palliative care (hospice or any terminal condition);
2. If total dose of opioid exceeds 80 MME/day, member is stable (history of > 7 days of therapy) on current dose or documentation supports gradual upward titration of dose.

**Approval duration: 12 months**

##### B. Long Term Therapy (defined as a claims history of $\geq$ 90-day supply of opioid) (must meet all):

1. Prescribed for the treatment of pain outside of active cancer treatment or palliative care;
2. Failure of at least 2 non-opioid ancillary treatments (such as non-steroidal anti-inflammatory drugs (NSAIDs), acetaminophen, anticonvulsants, antidepressants, etc.) unless contraindicated or clinically significant adverse effect are experienced;
3. Member will be maintained on no more than 2 opioid analgesics concurrently;  
*\*If member requires therapy with two opioid analgesics, regimen must consist of one immediate-release and one extended-release analgesic.*
4. Total opioid dose does not exceed 80 MME/day or for members who are stable (history of > 7 days of therapy) on doses higher than 80 MME/day, one of the following is met (a or b):
  - a. Provider will initiate a dose taper;  
*\*Future approval will require decrease from current dose*
  - b. Documentation that a dose taper has been attempted within the past 6 months, with the reasons for taper failure;

**CLINICAL POLICY**  
Narcotic Analgesics

5. Provider agrees to continuously assess the member's pain management regimen for possible discontinuation of opioid therapy;
6. Documentation that the provider has reviewed the Prescription Drug Monitoring Program (PDMP) to identify concurrently prescribed controlled substances.

**Approval duration: 3 months**

**C. Combination of opioid and benzodiazepine (must meet all)**

1. Prescribed for the treatment of pain outside of active cancer treatment or palliative care;
2. Documentation that the provider has acknowledged combined use of opioid medication and benzodiazepine;
3. Prescribed for short term (< 3 months) use or provider will discontinue concurrent use of benzodiazepine and opioid therapy within a 3-month period;  
*\*Re-authorization request for concurrent use of opioid and benzodiazepine will not be approved*

**Approval duration: duration of request or 3 months (whichever is less)**

**D. Other diagnoses/indications – Not applicable****II. Continued Therapy****A. Cancer or Palliative Care (must meet all):**

1. Prescribed for pain associated with cancer or palliative care;
2. If total dose of opioid exceeds 80 MME/day, member is stable (history of > 7 days of therapy) on current dose or documentation supports gradual upward titration of dose.

**Approval duration: 12 months**

**B. Long Term Therapy (must meet all):**

1. Member has previously met all initial approval criteria for long-term opioid use;
2. Prescriber provides documentation supporting inability to discontinue opioid therapy;
3. Member will not be maintained on > 2 opioid analgesics concurrently;  
*\*If member requires therapy with two opioid analgesics, regimen must consist of one immediate-release and one extended-release analgesic.*
4. Total opioid dose should NOT exceed 80 MME/day or if the current dose is higher than 80 MME/day, one of the following is met (a, b or c):
  - a. Dose reduction has occurred since previous approval;
  - b. A dose taper has been attempted within the past 6 months and was not successful;  
*\*Reason(s) for taper failure must be provider*
  - c. Prescribed by or consultation with a pain management specialist;
5. If the requested dose is for > 80 MME/day, an increase in dose has not occurred since previous approval;
6. Documentation that the provider has reviewed the PDMP to identify concurrently prescribed controlled substances.

**Approval duration: 3 months**

**CLINICAL POLICY**  
Narcotic Analgesics

**C. Combination of opioid and benzodiazepine** (must meet all)

1. Currently receiving concurrent opioid and benzodiazepine therapy via Centene benefit or member has previously met the initial approval criteria;
2. Documentation supports that discontinuation of combination opioid and benzodiazepine therapy has been attempted in the last 3 months without success;
3. Prescribed by or in consultation with a pain management specialist.

**Approval duration: duration or request or 3 months (whichever is less)**

**D. Other diagnoses/indications** – Not applicable

**III. Diagnoses/Indications for which coverage is NOT authorized** – Not applicable

**IV. Appendices/General Information**

*Appendix A: Abbreviation/Acronym Key*

FDA: Food and Drug Administration

MME: morphine milligram equivalents

NSAID: non-steroidal anti-inflammatory drug

PDMP: Prescription Drug Monitoring Program

*Appendix B: General Information*

<b>Opioid Oral Morphine Milligram Equivalent (MME) Conversion Factors</b>	
<b>Type of Opioid (strength units)</b>	<b>MME Conversion Factor</b>
Codeine (mg)	0.15
Dihydrocodeine (mg)	0.25
Fentanyl buccal or SL tablets, or lozenge/troche (mcg)	0.13
Fentanyl film or oral spray (mcg)	0.18
Fentanyl nasal spray (mcg)	0.16
Fentanyl patch (mcg)	7.2
Hydrocodone (mg)	1
Hydromorphone (mg)	4
Levorphanol tartrate (mg)	11
Meperidine hydrochloride (mg)	0.1
Methadone (mg)	
>0, ≤ 20	4
>20, ≤ 40	8
>40, ≤ 60	10
>60	12
Morphine (mg)	1
Opium (mg)	1
Oxycodone (mg)	1.5
Oxymorphone (mg)	3

## CLINICAL POLICY

### Narcotic Analgesics

Pentazocine (mg)	0.37
Tapentadol (mg)	0.4
Tramadol (mg)	0.1

#### V. Dosage and Administration

There are numerous narcotic analgesics, please refer to the package insert of your drug of interest for information on appropriate dosage and administration.

#### VI. Product Availability

There are numerous narcotic analgesics, please refer to the package insert of your drug of interest for product availability information.

#### VII. References

1. Dowell D, Haegerich TM, Chou R. CDC Guideline for Prescribing Opioids for Chronic Pain--United States, 2016. JAMA. 2016 Apr 19; 315(15):1624-45.
2. Initial and Continued Approval follow-up periods based on the Centers for Disease Control and Prevention (CDC) Guideline for Prescribing Opioids for Chronic Pain – 2016. <http://www.cdc.gov/mmwr/volumes/65/rr/pdfs/rr6501e1.pdf>
3. Kampman K, Jarvis M. American Society of Addiction Medicine (ASAM) National Practice Guideline for the Use of Medications in the Treatment of Addiction Involving Opioid Use. J Addict Med. 2015 Sep-Oct;9(5):358-67.

Reviews, Revisions, and Approvals	Date	P&T Approval Date
Policy adopted from Medicaid CP.PPA.12.	08.17	11.17

#### Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan’s affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy,

## CLINICAL POLICY

### Narcotic Analgesics

contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

©2017 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene<sup>®</sup> and Centene Corporation<sup>®</sup> are registered trademarks exclusively owned by Centene Corporation.